2025 Workshop: KiTS-RX-MESO-CEDAR Part 2

Long title

KiTS-RX-MESO-CEDAR session on substorm onset Part 2

CEDAR-GEM

Conveners

Harry Arnold

Anton Artemyev

Jason Derr

Akhtar Ardakani

Bea Gallardo-Lacourt

Gareth Perry

Emma Spanswick

Yi Oi

John Dorelli

Katherine Goodrich

Chen Shi

M. Hasan Barbhuiya

Krishna Khanal

Toshi Nishimura

harry.arnold@jhuapl.edu

Description

Substorms are one of the main processes in which Earth's magnetosphere-ionosphere system responds to driving from the solar wind. During the substorm growth phase energy is stored in the magnetotail lobes before releasing during the expansion phase. However, the onset mechanism that triggers the explosive expansion phase is not well understood. While magnetic reconnection is known to play a role in the explosive release of energy, there may be a separate mechanism for onset (e.g. current disruption or ballooning/interchange instability). Other questions include the role of preconditioning during the growth phase that determine the properties of the pre-onset magnetotail current sheet. To complicate matters further, observations of the aurora mapped to the magnetotail can have large errors in their location.

Due to the breadth of this topic, we will have 2 joint sessions. In these sessions we hope to bring together researchers from both GEM and CEDAR communities to share their expertise on this topic. Linking dynamics between the ionosphere and magnetotail is a key part of understanding the magnetospheric system-of-systems response to solar wind driving. In this, the second session, we plan to give presentations ~10 minutes each (including questions) to explore substorm onset and continue the conversation from the first session. In these sessions, we aim to highlight the importance of satellite and ground-based observations, along with magnetospheric and ionospheric modeling, in understanding the coupled magnetosphere-ionosphere system and unraveling substorm dynamics.

Justification

Understanding substorm onset is an active topic in both the GEM and CEDAR communities and will make a compelling joint session. It is clearly relevant to the Kinetic Plasma Processes in the Magnetotail during Substorm Dynamics focus group, but is also applicable to the Magnetic Reconnection: The Key to Understanding Earth's Space Environment focus group as reconnection is a possible onset mechanism. The nightside transition region has also been proposed as the location of onset making this session relevant to the Mesoscale drivers of the nightside transition region: ionospheric and magnetotail evaluations focus group. Finally, the CEDAR community makes an excellent addition to link auroral manifestations of onset to the magnetotail.

Related to CEDAR Science Thrusts:

Encourage and undertake a systems perspective of geospace Explore processes related to geospace evolution
Fuse the knowledge base across disciplines in the geosciences Workshop format
Short Presentations
Include a virtual component?
Yes
Keywords
Substorm Onset, Magnetosphere-Ionosphere Coupling

KiTS Harry Arnold MESO Bea Gallardo-Lacourt RX Yi Qi

Focus Group and Group Leader

View PDF