






Next-Generation Instruments for Geospace Science

John Foster
MIT Haystack Observatory



CEDAR Student Workshop
June 2009



Geospace is a System




Individual Features and Instruments Reveal Parts of the Complex Geospace System





Understanding the System poses many Questions

How do ionospheric outflows impact magnetosphere-ionosphere system dynamics? [Lotko et al., 2007]






electrodynamical-inertial linkage




coupling and feedback

global modeling



mass transport



What Will the Future Look Like?

- **Improved Instruments** to push the envelope of what can be measured.
- **Minaturization**: cost-effective instruments in large quantities
- **Distributed Arrays**: interconnected regional and global multi-user instrument arrays
- **Integrated space and ground-based** observing capabilities



Thought- Provoking Radio Arrays





What is a Modern Radio Instrument? (Frank Lind)

- All Digital RF Technology enables extensive capabilities
 - Combine array radar and array radio telescope approaches
 - Broadband, adaptable, all digital electromagnetic interface
 - Transform applications through applied computing power
 - Array must be affordable -> Low per element cost
 - Interleaved missions on a fine scale – adaptive response to conditions

Modern Digital Array Radar

Narrowband
Single Aperture
Planar geometry
100 to 200 RX beams



Element, brick, sub-array, array

RF MCM
(multichip module)



RF MEMS

Software Radar

Supercomputing

Advanced Digital Radar System

Broadband – Distributed
All Digital Elements
Adaptive beams : TX and RX
Simultaneous TX / RX - 1000 beams
Deep per element data buffers
Moderate power - high aperture



Key enabling technologies


Advanced Modular ISR (AMISR)

- New NSF ISRs
- Modular/Transportable/Reconfigurable
- Phased array / rapid steering
- Solid state / No warmup



AMISR Coverage – Global Context

ISRs
SuperDARN
Allsky Imagers
Satellites




Employ Instruments in Unison

EISCAT_3D



EISCAT_3D is Different



EISCAT_3D will give accurate, large-scale, three dimensional measurements of the ionosphere and atmosphere for the first time

EISCAT_3D will give unprecedented temporal and spatial information about the plasma environment – essential to understanding crucial and societally relevant problems in the geospace environment, in space weather, and in the global energy budget and related climate change

MIDAS-Mobile Coherent Software Radio System



Advanced digital receivers
ECDR-GC314FS
Six analog inputs (2 cards)
Up to 24 simultaneous RF channels

Ultra stable GPS locked oscillators
Wide area coherence
Absolute alignment of data to UTC
1 part in $1E11$, 20 nsec alignment
Low phase noise

High integration UHF Radar Tuners
DC to 1500 MHz (with external filters)
30 MHz down-converted bandwidth

Fully remote Internet based operation
Realtime web based visualization
Grid Computing
Remote power control


- **MIDAS-M : Latest Millstone Data System**

- Millstone UHF Radar and ISIS Array
- **Software Radar Architecture** : Raw Voltage Based Processing
- Realtime signal processing, analysis, database, and visualization
- Production quality IS radar ion line processing
- Active and Passive Radar, Monostatic/Multistatic, Satellite Beacons, Spectral Monitoring


ISIS

Distributed Software Radio Array

- Radar Using Intercepted Signals as the Transmitter Source
- Coherent Scatter from Ionospheric Irregularities and Meteors
- Dynamic Range From Multistatic Architectures
- Precise Synchronization Using GPS Signals
- Transmitter and Scattered Signal Coherent Digitization
- Wide Area Network Transport of Raw RF Data
- Numerically Intensive Data Processing





Rockets for Tomorrow's Sub-Orbital Program (What Will They Be Like?)




Optical Sensors

Ground Based

(But New Ground to Break)





21:56 LT



**Images of
Geospace
Optics, GPS TEC &
IS Radar**

**Equatorial Uplift
Destabilizes Plasma**

**Spread F (Bubbles)
in Enhanced TEC
Region**



Middle Atmosphere Lidars




Future Directions (Jon Makela)

- We are studying a global system
 - Land masses are becoming increasingly well instrumented
 - What about the oceans?
- Multiple-instrument clusters provide more comprehensive measurements than individual instruments
 - Can we assemble a “menu” of instruments that a PI setting up a site can choose from?
 - Is it time to deploy a community-driven/supported array? This is a *large* logistical undertaking
- To not be constrained by where we can plug in our instruments, we need to be able to deploy off grid
 - Requires development of lower-powered (but not less-capable) instruments
 - Requires cellular/satellite communications to get data back



Off-the-Grid Deployment



Technologies for Remote Deployment



System Science

System Science is an approach to understanding the natural and physical world that recognizes how various phenomena are interconnected.

For the first time, scientists have easy access to massive amounts of information by which to study the interconnectedness of diverse phenomena.

The system itself is a frontier – we must identify and understand its characteristics and components.

Class I Facilities – Old and New




EISCAT, Svalbard
1996



EISCAT, Tromsø, Norway
1981, 1985



Sondrestrom, Greenland
(Chatanika, Alaska 1971)



AMISR, Poker Flat, Alaska
2007

UAF Observatories Probe the Boundaries of Geospace

UAF Geospace Observatories

RISR

PFISR
Sondrestrom

Millstone Hill

Arecibo

Jicamarca

ITM Regions

Polar Cap

Auroral

Sub-Auroral

Mid-Latitude

Equatorial

Magnetospheric Regions

Solar Wind





Magnetosheath

Outer Magnetosphere

PBL

Inner Magnetosphere

Ion/Neutral Boundary



UAF Geospace Observatories

- **Span altitudes** across the ion-neutral transition
 - Earth's threshold to space
- **Span latitudes** mapping all regions of geospace
- Positioned at **major boundary layer (BL) locations**
 - observe universal BL processes
- Ground-based: **continuous/repeatable coverage**
- Coordinated observations: **snapshots of geospace**
 - interconnectivity of processes

- Magnetopause BL / cusp: RISR, Sondrestrom
- Open/Closed B-field BL: RISR, Sondrestrom, PFISR
- Plasmasphere BL (PBL): Millstone Hill
- Ion-Neutral BL: Jicamarca, Arecibo, high-lat ISRs

Equatorial ISR

Unique Coverage and Phenomena



Jicamarca Radio Observatory, near Lima, Peru
18,432 dipoles, 50 MHz, 1961

System Science Requires Global Coordinated Observations

The latitude and altitude regions of the upper atmosphere are coupled in complex ways and behave as a dynamic system.

Meso-scale (1000-km) features associated with the redistribution of thermal plasma from the low-latitude ionosphere to the auroral and polar regions and its outflow and acceleration into the magnetosphere provide a striking example of coupled-system interactions. Solar disturbances driving prompt penetration electric fields impact the state of the ionosphere from the poles to the equator, intermingling the effects of neutral-ion coupling with magnetosphere dynamics over the planet-wide upper atmosphere on short (10-min) time scales.

Such complex behavior requires distributed system-wide observations to address the processes involved in both regional and larger-scale effects. Individual observing techniques and facilities (e.g. the SuperDARN radars or the ISRs) provide only a portion of the needed coverage. Coordinated observations among instrument types and with good spatial distribution are needed to view, diagnose, and understand the overall global system.

DASI: A Framework for Community Collaborative Research

- Geospace is a System
- System Science:
Distributed Realtime
Observations Needed
- Insufficient Data:
New Instruments
- Multi-Instrument
Collaboration provides
New Views of Geospace
- Time to Get Started!

DASI

Distributed Arrays of Small Instruments
for Solar-Terrestrial Research


A WORKSHOP REPORT



NATIONAL RESEARCH COUNCIL
OF THE NATIONAL ACADEMIES

Regional DASI to address System Science


SuperDARN (Polar, Auroral, Mid-Latitude), ISR, THEMIS GBO, ISIS, etc.




Next-Generation Instrument: Regional DASI

- Combine existing distributed arrays and Class I instrument clusters
- North American arrays span polar, auroral, sub-auroral, and mid latitudes
- Multi-technique facilities: Magnetometers, Imagers, ISRs, HF Radars, Rockets
- Communications infrastructure is in place

Ground-Based Instrumentation in North America



UC Berkeley
U Calgary
U Saskatchewan
EISCAT
U Tromso
FMI
DMI
SRI
Astronomy North
Lancaster U



- Class I Facilities Anchor North American Array
- Key Locations for System Science

Arecibo, Puerto Rico





**Mid-Latitude
Large Dish ISRs**

Millstone Hill, Mass.



Jun 24, 2009 3:43 pm



Data SIO, NOAA, U.S. Navy, NGA, GEBCO
© 2009 Europa Technologies
© 2009 Tele Atlas
© 2009 MapLink/Tele Atlas




41°32'25.85" N 91°42'03.24" W elev 312 m

©2009 Google

Eye alt 9884.56 km

Millstone Hill ISR Mid-Latitude Field of View

Radar & GPS TEC Arrays Map Ionospheric Structure & Dynamics



Monitoring the Ionosphere: SuperDaRN Radar Arrays



Mid-Latitude SuperDARN Global-Scale Ionospheric Electrodynamics and Processes

2011
Aleutian
Islands, AK




2012
Azore Islands,
Portugal

OSU – 2010
Corvallis, OR

FHSU – 2009
Hays, KS



Ground and Space-Based Arrays for Geospace Studies



Next-Generation Instruments

Our next-generation instruments will evolve from our current capabilities, taking advantage of technological developments to improve their sensitivity, capability, and operational efficiency.

The breakthrough will come in our ability combine the output of the available instruments in ways which address the processes and characteristics of the Geospace System taken as a whole.

