

Mesosphere Science References: MILs and Instabilities

- Aikin, A.C., M.L. Chanin, J.Nash, and D.J. Kendig, Temperature trends in the lower mesosphere, *Geophys.Res. Lett.*, **18**, 416-419,1991
- Alexander, M. J., and T.J. Dunkerton, A spectral parameterization of mean-flow forcing due to breaking gravity waves, *J. Atmos. Sci.*, **56**, 4167-4182, 1999.
- Andrews, D. G., J. R. Holton, and C. B. Leovy, *Middle atmosphere dynamics*, pp 21-112, Academic Press Inc., Orlando, FL, 1987.
- Andreassen, O. O., C. E. Wasberg, D. C. Fritts and J. R. Isler, Gravity wave breaking in two and three dimensions, 1, Model description and comparison of two-dimensional evolutions, *J. Geophys. Res.*, **99**, 8095 - 8108, 1994.
- Bacmeister, Julio T., and Mark R. Schoeberl, Breakdown of vertically propagating two-dimensional gravity waves forced by orography, *J. Atmos. Sci.*, **46**, 2109 - 2134, 1989
- Berger, U. and U. von Zahn, The two-level structure of the mesopause: A model study, *J. Geophys. Res.*, **104**, 22,083-22093, 1999.
- Bills, Richard E., Chester S. Gardner, Chiao-Yao She, Narrowband lidar technique for Na temperature and doppler wind observations of the upper atmosphere, *Opt. Eng.* **30**, 13-21, 1991.
- Bills, Richard E., and Chester S. Gardner, Lidar observations of the mesopause region temperature structure at Urbana, *J. Geophys. Res.*, **98**, 1011-1021, 1993.
- Burrage, M.D., W. R. Skinner, D.A. Gell, P.B. Hays, A.R. Marshall, D.A. Ortland, A.H. Manson, S.J. Franke, D.C. Fritts, P. Hoffman, C.McLandress, R. Nciejewski, F.J. Schmidlin, G.G. Shepherd, W. Singer, T. Tsuda, and R.A. Vincent, *J. Geophys. Res.*, **101**, 10,365-10,392, 1996.
- Chanin, M.L., A. Garnier, A. Hauchecorne, J. Porteneuve, A doppler lidar for measuring winds in the middle atmosphere, *Geophys. Res. Letts.*, **16**, 1273-1276, 1989
- Clancy, R. Todd, and David W. Rusch, Climatology and trends of mesospheric (58-90) temperatures based upon 1982 - 1986 SME limb scattering profiles, *J. Geophys. Res.* **94**, 3377 - 3393, 1989.
- Collins, Richard L., Xin Tao, and Chester S. Gardner, Gravity waves in the upper mesosphere over Urbana, Illinois: Comparison
- Dao, P. D., R. Farley, X. Tao , and C. S. Gardner, Lidar observations of the temperature profile between 25 and 103 km: Evidence of tidal perturbation, *Geophys. Res. Letts.*, **22**, 20, 2825 - 2828, 1995.
- Dewan, E.M., N. Grossbard, A.F.Quesada, and R.E. Good,Spectral analysis of 10 m resolution scaler velocity profiles in the stratosphere, *Geophys. Res. Lett.*, **11**, 80-83, 1984
- Duck, T. J., J. A. Whiteway, and A. I. Carswell, Lidar observations of gravity wave activity and Arctic stratospheric vortex core warming, *Geophys. Res. Lett.*, **25**, 2813-2816, 1998.
- Forbes, Jeffrey M., Middle atmosphere tides, *J. Atmos. Terr. Phys.*, **46**,1049 - 1067, 1984
- Forbes, J. M. and Vial, F., Monthly simulations of the solar semidurnal tide in the mesosphere and lower thermosphere, *J. Atmos. Terr. Phys.*, **51**, 649-661, 1989
- Fritts, D.C., Gravity wave saturation in the middle atmosphere: A review of theory and observations, *Rev. Geophys.Space Phys.*,**22**, 275-308, 1984

- Friedman, J. S., S. A. Gonzalez, C. A. Tepley, Q. Zhou, and M.P.Sulzer, Simultaneous atomic and ion layer enhancements observed in the mesopause region during the Coqui II sounding rocket campaign, submitted to *Geophys. Res. Letts.*, June, 1999.
- Garcia, R.R., and S. Solomon, The effect of breaking gravity waves on the dynamics and chemical composition of the mesosphere and lower thermosphere, *J. Geophys. Res.*, **90**, 3850-3868, 1985
- Garnier, A., and M.L. Chanin, Description of a Doppler Rayleigh LIDAR for measuring winds in the middle atmosphere, *J. Appl. Phys. B*, **55**, 35 - 40, 1992
- Gardner, C.S., Sodium resonance fluorescence lidar applications in atmospheric science and astronomy, *Proc. IEEE*, **77**, 408-418, 1989
- Gardner, C. S., and W. Yang, Measurements of the dynamical cooling rate associated with the vertical transport of heat by dissipating gravity waves in the mesopause region at the Starfire Optical Range, New Mexico, *J. Geophys. Res.*, **103**, 16,909 – 16,926, 1998.
- Garnier, A., and M.L. Chanin, Description of a Doppler Rayleigh LIDAR for measuring winds in the middle atmosphere, *J. Appl. Phys. B*, **55**, 35 - 40, 1992
- Gavrilov, N. M. and R. G. Roble, The effect of gravity waves on the global mean temperature and composition structure of the upper atmosphere, *J. Geophys. Res.*, **99**, 25773-25780, 1994.
- Hagan, M. E., Comparative effects of migrating solar sources on tidal signatures in the middle and upper atmosphere, *J. Geophys. Res.*, **101**, 21,213 - 21,222, 1996.
- Hagan, M. E. , J. L. Chang, and S. K. Avery, GSWM estimates of non-migrating tidal effects, *J. Geophys. Res.*, **102**, 16,439-16,452, 1997.
- Hagan, M. E., M. D. Burrage, J. M. Forbes, J. Hackney, W. J. Randel, and X. Zhang, GSWM-98: Results for migrating solar tides, *J. Geophys. Res.*, **104**, 6813 - 6827, 1999.
- Hamilton, K., Comprehensive meteorological modelling of the middle atmosphere: a tutorial review, *J. Atmos. Terr. Phys.*, **58**, 1591-1628, 1996.
- Hamilton, K., Dynamical coupling of the lower and middle atmosphere: historical background to current research, *J. Atmos. Solar-Terr. Phys.*, **61**, 73-84, 1999.
- Hauchecorne, A., M. L. Chanin, and R. Wilson, Mesospheric temperature inversion and gravity wave dynamics, *Geophys. Res. Letts.*, **14**, 935 - 939, 1987.
- Hauchecorne, A., M.-L. Chanin and P. Keckhut, Climatology and trends of the middle atmospheric temperature (33-87 km) as seen by Rayleigh lidar over the south of France, *J. Geophys. Res.*, **96**, 15,297-15,309, 1991.
- Hauchecorne, A., and A. Maillard, A 2D dynamical model of mesospheric temperature inversions in winter, *Geophys. Res. Lett.*, **17**, 2197-2200, 1990.
- Hecht, J. H., A. Z. Liu, R. L. Bishop, J. H. Clemmons, C. S. Gardner, M. F. Larsen, R. G. Roble, G. R. Swenson, and R. L. Walterscheid (2004), An overview of observations of unstable layers during the Turbulent Oxygen Mixing Experiment (TOMEX), *J. Geophys. Res.*, **109**, D02S01, doi:10.1029/2002JD003123
- Hecht, J. H., A. Z. Liu, R. L. Walterscheid, R. G. Roble, M. F. Larsen, and J. H. Clemmons (2004), Airglow emissions and oxygen mixing ratios from the photometer experiment on the Turbulent Oxygen Mixing Experiment (TOMEX), *J. Geophys. Res.*, **109**, D02S05, doi:10.1029/2002JD003035
- Hines, C.O. The upper atmosphere in motion, *Quart.J.Roy.Meteor.Soc.*, **89**,1-42,1963

- Holton, J.R., The influence of gravity wave breaking on the general circulation of the middle atmosphere, *J.Atmos.Sci.*, **40**, 2497-2507,1983
- Huang T.-Y., M. P. Hickey, T.-F. Tuan, E. M. Dewan, and R. H. Picard, Further investigations of a mesospheric inversion layer observed in the ALOHA-93 Campaign, *J. Geophys. Res.*, 107(D19), 4408, doi:10.1029/2001JD001186, 2002
- Huang, F. T., and C. A. Reber, Seasonal behavior of the semidiurnal and diurnal tides, and mean flows at 95 km, based on measurements from the High Resolution Doppler Imager (HRDI) on the Upper Atmosphere Research Satellite (UARS), *J. Geophys. Res.*, 108(D12), 4360, doi:10.1029/2002JD003189, 2003
- Huang, F. T., and C. A. Reber (2004), Nonmigrating semidiurnal and diurnal tides at 95 km based on wind measurements from the High Resolution Doppler Imager on UARS, *J. Geophys. Res.*, 109, D10110, doi:10.1029/2003JD004442.
- Keckhut, M.L. Chanin, and A. Hauchecorne, Stratosphere temperature measurement using Raman lidar, *Appl. Opt.*, **29**, 5182-5186, 1990
- Keckhut,P., A. Hauchecorne, and M.L. Chanin, A critical review of the database acquired for the long-term surveillance of the middle atmosphere by the French Rayleigh lidars, *J. Atmos. and Oceanic Tech.*, **10**, 850-867, 1993
- Larsen, M.F., A shear instability seeding mechanism for quasiperiodic radar echoes, *J. Geophys. Res.*, 105 (A11), 24,931-24,940, 2000.
- Larsen, M. F., Results from four decades of chemical release wind measurements (2002), *J. Geophys. Res.*, 107, 1215, 10.1029/2001JA00021
- Larsen, M. F., A. Z. Liu, C. S. Gardner, M. C. Kelley, S. Collins, J. Friedman, and J. H. Hecht (2004), Observations of overturning in the upper mesosphere and lower thermosphere, *J. Geophys. Res.*, 109, D02S04, doi:10.1029/2002JD003067
- Larsen, M. F., A. Z. Liu, R. L. Bishop, and J. H. Hecht, TOMEX: A comparison of lidar and sounding rocket chemical tracer wind measurements
- Leblanc, Thierry, and Alain Hauchecorne, Recent observations of mesospheric temperature inversions, *J. Geophys. Res.*, 102, 19,471 - 19,482, 1997.
- Leblanc, Thierry, I. McDermid, P. Keckhut, A. Hauchecorne, C.Y. She, D.A. Krueger, Temperature climatology of the middle atmosphere from long-term lidar measurements at middle and low latitudes, *J. Geophys. Res.*, 103, 17,191 - 17,204, 1998.
- Li, T., C.-Y. She, H.-L. Liu, and M. T. Montgomery (2007), Evidence of a gravity wave breaking event and the estimation of the wave characteristics from sodium lidar observation over Fort Collins, CO (41_N, 105_W), *Geophys. Res. Lett.*, 34, L05815, doi:10.1029/2006GL028988
- Lindzen, R.S., Turbulence and stress due to gravity wave and tidal breakdown, *J. Geophys. Res.*, **86**, 9709 - 9714, 1981
- Liu, A. Z., R. G. Roble, J. H. Hecht, M. F. Larsen, and C. S. Gardner (2004), Unstable layers in the mesopause region observed with Na lidar during the Turbulent Oxygen Mixing Experiment (TOMEX) campaign, *J. Geophys. Res.*, 109, D02S02, doi:10.1029/2002JD003056
- Liu, Han-Li and Maura E. Hagan, Local heating/cooling of the mesosphere due to gravity wave and tidal coupling, *Geophys. Res. Letts.*, 25, 2,941 – 2,944, 1998.
- Liu, H.-L., P. B. Hays, and R. G. Roble, A numerical study of gravity wave breaking and impacts on turbulence and mean state, *J. Atmos. Sci.*, 56, 2152-2177, 1999.

- Liu, Han-Li, M. E. Hagan, and R. G. Roble, Local mean state changes due to gravity wave breaking modulated by the diurnal tide, *J. Geophys. Res.*, 105, 12,381-12,396, 2000
- Lübken, F.-J., W. Hillert, G. Lehmacher, and U. von Zahn, Experiments revealing small impact of turbulence on the energy budget of the mesosphere and lower thermosphere, *J. Geophys. Res.*, 98, 20,369 - 20,384, 1993.
- Lübken, F.-J., W. Hillert, G. Lehmacher, U. von Zahn, M. Bittner, D. Offermann, F. Schmidlin, A. Hauchecorne, M. Mourier, and P. Czechowsky, Intercomparison of density and temperature profiles obtained by lidar, ionization gauges, falling spheres, datasondes, and radiosondes during the DYANA campaign, *J. Atmos. Terr. Phys.*, 56, 1969-1984, 1994.
- Lübken, F. J., Seasonal variation of turbulent energy dissipation rates at high latitudes as determined by in situ measurements of neutral density fluctuations, *J. Geophys. Res.*, 102, 13,441-13,456, 1997.
- Meriwether, J.W., and C.S. Gardner, A review of the mesosphere inversion layer phenomenon, *J. Geophys. Res.*, 105 (D10), 12,405-12,416, 2000
- Meriwether, J. W. , P.D. Dao, R.T. McNutt, W. Klemetti, W. Moskowicz, G. Davidson, Rayleigh lidar observations of mesosphere temperature structure, *J. Geophys. Res.*, 99, 7174, 1994
- Nastrum, G. D., and D. C. Fritts, Sources of mesoscale variability of gravity waves. Part I: Topographic excitation, *J. Atmos. Sci.*, 49, 101-110, 1992
- Ortland, D. A., P. B. Hays, Skinner W. R. and J.-H. Yee, Remote sensing of mesospheric temperature and O₂(1Sigma) band volume emission rates with the high-resolution Doppler imager [O₂(¹\Sigma)], *J. Geophys. Res.*, 103, 1821-1836, 1998.
- Ortland, D. A., P. B. Hays, W. R. Skinner, M. D. Burrage, A. R. Marshall and D. A. Gell, A sequential estimation technique for recovering atmospheric data from orbiting satellites, in *The upper mesosphere and lower thermosphere: A review of experiment and theory*, edited by R. M. Johnson and T. L. Killeen, pp 329-337, AGU, Washington DC, 1995.
- Salby, Murry, Fabrizio Sassi, Patrick Callaghan, Dong Wu, Philippe Keckhut, and Alain Hauchecorne, Mesospheric inversions and their relationship to planetary wave structure, *J. Geophys. Res.*, 107, 4041, 2002
- Seyler, C. E. (2005), Internal waves and undular bores in mesospheric inversion layers, *J. Geophys. Res.*, 110, D09S05, doi:10.1029/2004JD004685
- She, C. Y., H. Latifi, J. R. Yu, R. J. Alvarez, II, R. E. Bills and C. S. Gardner, Two-frequency lidar technique for mesospheric Na temperature measurements, *Geophys. Res. Lett.*, 17, 929-932, 1990
- She, C. Y., J. R. Yu, J. W. Huang, C. Nagasawa and C. S. Gardner, Na temperature lidar measurements of gravity wave perturbations of wind, density and temperature in the mesopause region, *Geophys. Res. Lett.*, 18, 1329-1331, 1991
- She, C. Y., J.R. Yu, H.Chen, Observed thermal structure of a midlatitude mesopause, *Geophys. Res. Lett.*, 20, 567-570, 1993
- She, C. Y., and R. P. Lowe, Seasonal temperature variations in the mesopause region at mid-latitude comparison of lidar and hydroxyl rotational temperatures using WINDII:UARS OH Height profiles, *J. Solar Atmos. Terr. Phys.*, 60, 1573-1582, 1998

- Sica, R. J., and M.D. Thorsley, Measurements of superadiabatic lapse rates in the middle atmosphere, *Geophys. Res. Lett.*, **23**, 2797-2800, 1996.
- Sica, R. J, T. Thayaparan, P.S. Argall, A.T. Russell, W.K. Hocking, Modulation of upper mesospheric temperature inversions due to tidal-gravity wave interactions, *J. Atmos. Solar Terr. Phys.*, **64**, 915-922, 2002
- Smith, S. M., M. J. Taylor, G. R. Swenson, C.-Y. She, W. Hocking, J. Baumgardner, and M. Mendillo, A multidagnostic investigation of the mesospheric bore phenomenon, *J. Geophys. Res.*, **108**(A2), 1083, doi:10.1029/2002JA009500, 2003.
- States, R. J., and C. S. Gardner, Influence of the diurnal tide and thermospheric heat sources on the formation of mesospheric temperature inversion layers, *Geophys. Res. Lett.*, **25**, 1483 - 1486, 1998.
- States, R. J., and C. S. Gardner, Thermal structure of the mesopause region (80-105 km) at 40 N latitude, 1. Seasonal variations, *J. Atmos. Sci.*, **57**, 66-77, 1999a.
- States, R. J., and C. S. Gardner, Thermal structure of the mesopause region (80-105 km) at 40 N latitude, 2. Diurnal variations, *J. Atmos. Sci.*, **57**, 78-92, 1999b.
- Stevens, M. H., R. R. Meier, X. Chu, M. T. DeLand, J. M. C. Plane, Antarctic mesospheric clouds formed from space shuttle exhaust, *Geophys. Res. Letts.*, **32**, L13810, doi:10.1029/2005GL023054, 2005
- Taylor, M.J., and M.A. Hapgood, Identification of a thunderstorm as a source of short period gravity waves in the upper atmospheric nightglow emissions, *Planet. Space Sci.*, **36**, 975, 1988
- Taylor, M.J., E.H. Ryan, T.F. Tuan, R. Edwards, Evidence of preferential directions for gravity wave propagation due to wind filtering in the middle atmosphere, *J. Geophys. Res.*, **98**, 6047 - 6057, 1993
- Walterschied, R. L., Dynamical cooling induced by dissipating internal gravity waves, *Geophys. Res. Lett.*, **8**, 1235-1238, 1981
- Walterschied, R. L., Gravity wave attenuation and the evolution of the mean state following wave breakdown. *Dynamics of the Middle Atmosphere*, J.R. Holton and T. Matsuno, Eds. Terra, 19-43, 1984
- Walterscheid, R.L., and G. Schubert, Nonlinear evolution of an upward propagating gravity wave: overturning, convection, transience and turbulence, *J. Atmos. Sci.*, **47**, 101-125, 1990
- Whiteway, J. A., A. I. Carswell, and W. E. Ward, Mesospheric temperature inversions with overlying nearly adiabatic lapse rate: An indication of a well-mixed turbulent layer, *Geophys. Res. Letts.*, **22**, 1201-1204, 1995.
- Wona, Y.-I., G. G. Sivjee, S.M.I. Azeema, Q. Wu, Tidal features in the wintertime mesospheric temperature and neutral winds recorded at Resolute Bay, Canada (74.68°N, 94.90° W), *J. Atmos. Solar Terr. Phys.*, **69**, 459-470, 2007
- von Zahn, U., and W. Meyer, Mesopause temperatures in polar summer, *J. Geophys. Res.*, **94**, 14647 - 14651, 1989